

**DIRECTORY OF
EXPORT ELEVATORS**

AT

EXPORT PORT LOCATIONS

INCLUDING

FACILITY DATA



**Grain Inspection, Packers and Stockyards Administration
Federal Grain Inspection Service**

Updated: October 13, 2010

Introduction

The Grain Inspection, Packers and Stockyards Administration (GIPSA) compiled the following elevator list based on information from export grain companies. Should questions arise about a particular grain facility's operation (e.g., commodity types, handling systems, logistics, etc.), please contact the appropriate export company. Persons who have questions about official inspection and weighing requirements should contact the appropriate GIPSA or Delegated State office.

GIPSA has listed each facility by field office, elevator name and appropriate inspection and weighing service provider. Additionally, the directory includes Canadian Grain Facilities along the St. Lawrence River system where GIPSA provides official inspection and weighing services on U.S. grain transshipped through Canadian ports. However, the United States Grain Standards Act does not define these facilities as export elevators.

Please contact Candace Hildreth at (202) 720-0203 or via e-mail (candace.a.hildreth@usda.gov) with questions concerning the directory.

TABLE OF CONTENTS

FIELD OFFICE:	PAGE:
League City, Texas	3
New Orleans, Louisiana	10
Portland, Oregon	27
Toledo, Ohio	32
Washington Federal/State (Olympia)	56

"The information that appears in the following section was provided to the Grain Inspection, Packers and Stockyards Administration (GIPSA) by the export elevator companies. The reliability of this data is limited to the accuracy of the information supplied to GIPSA."

<p>FACILITY INFORMATION:</p> <p>ADM Galveston, Texas 3100 Wharf Road Galveston, Texas 77550</p> <p>Brent Turner, General Superintendent Jason Weber, Superintendent Telephone: (409) 763-6443 Fax: (409) 763-8608</p>	<p>GIPSA FIELD OFFICE:</p> <p>League City, Texas Dave Grady, Manager Telephone: (281) 338-2787 Fax: (281) 338-2788 Email: dave.grady@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Archer-Daniels-Midland Grain Company Post Office Box 2647 Galveston, Texas 77573</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA League City, Texas Dave Grady, Manager Telephone: (281) 338-2787 Fax: (281) 338-2788 Email: dave.grady@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 2.8 million bushels (76,204 metric tons)
Loading Capacity: 80,000 bushels (2,177 metric tons)
Number of Elevating Legs: 0
Type of Operation: Shipping Bins
Shipping Bins: 9
Bin Capacity: 20,000 bushels (570 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 3

Weighing System:

Scales: 6
Location: Control Room (Ships)
Type of Scale: 5-Compuweigh 4000 Hoppers Full Electronic
1, 2--(shipping – 48,000 lbs. X 20 lbs.)
4, 5--(receiving -- 48,000 lbs. X 20lbs)
#3 (receiving – 40,000 lbs. X 20 lbs)

Mechanical Sampling System:

Diverter-Type Samplers: 5
Location: 4th Floor, End of Belts
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>ADM Growmark, Corpus Christi, Texas 2122 Navigation Boulevard Corpus Christi, Texas 78402</p> <p>Greg Peterson, Manager Karl Crisp, Operational Manager Telephone: (361) 882-1956 Fax: (361) 882-1998</p>	<p>GIPSA FIELD OFFICE:</p> <p>League City, Texas Dave Grady, Manager Telephone: (281) 338-2787 Fax: (281) 338-2788 Email: dave.grady@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Archer-Daniels-Midland Grain Company 4666 Faries Parkway Decatur, Illinois 62525</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Corpus Christi, Texas (Duty Point) Telephone: (361) 888-3461 Fax: (361) 888-3463</p>

TECHNICAL DATA:

Storage Capacity: 5.0 million bushels (141,800 metric tons)
Loading Capacity: 150,000 bushels (4,200 metric tons)
Number of Elevating Legs: 6
Type of Operation: Direct Load
Surge Bins: 4
Bin Capacity: 8,000 bushels (200 metric tons)
Export Conveyers: 4
Vessel Loading Spouts: 7

Weighing System:

Scales: 6
Location: 4-Scale Floor in Headhouse
1-Ground Level - East of Headhouse
1-Ground Level - West of Headhouse
Type of Scale: 4-Compuweigh CD 4000
(2 receivers & 2 shippers – 40,000 lbs. X 10 lbs.)
1-Fairbanks Full Electronic (120,000 lbs X 20 lbs)
1-Fairbanks Full Electronic (200,000 lbs X 20lbs)

Mechanical Sampling System:

Diverter-Type Samplers: 4
Location: Sampler Floor in Headhouse
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Beaumont Elevator 1745 Buford Street Beaumont, Texas 77704</p> <p>Bill Mullins, Manager Ralph Nafegar, Superintendent Telephone: (409) 838-6251 Fax: (409) 833-4108</p> <p>(Formerly Continental Grain Elevator)</p>	<p>GIPSA FIELD OFFICE:</p> <p>League City, Texas Dave Grady, Manager Telephone: (281) 338-2787 Fax: (281) 338-2788 Email: dave.grady@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Louis Dreyfus Corporation 10 Westport Road (P. O. Box 810) Wilton, Connecticut 06897-0810</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Beaumont, Texas (Suboffice) Alfred Broussard, Officer in Charge Telephone: (409) 839-2425 Fax: (409) 839-8281 Email: alfred.broussard@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 3.5 million bushels (95,254 metric tons)
Loading Capacity: 50,000 bushels (1,361 metric tons)
Number of Elevating Legs: 7 (5 inside, 2 outside)
Type of Operation: Shipping Bins
Shipping Bins: 4
Bin Capacity: 20,000 bushels (544 metric tons)
Export Conveyers: 3
Vessel Loading Spouts: 3

Weighing System:

Scales: 7
Location: 5-Scale Floor
2-Truck Dump
Type of Scale: 5-CompuWeigh CD 4000 (#3-shipper, 60,000 lbs. X 20 lbs.)
(#1, 2, 4, 5 receivers, 100,000 lbs. X 20 lbs.)
2-CompuWeigh 3000 (truck dump, 100,000 lbs. X 20 lbs.)

Mechanical Sampling System:

Diverter-Type Samplers: 4
Location: 3-Garner Floor
1-Bin Floor
Type of Sampler: 3-Gamet
1-International Stanley

<p>FACILITY INFORMATION:</p> <p>Cargill, Channelview, Texas 16150 Peninsular Boulevard Channelview, Texas 77530</p> <p>John Culmer, Manager James McCarthy, Superintendent Telephone: (281) 457-7000 Fax: (281) 457-7077</p>	<p>GIPSA FIELD OFFICE:</p> <p>League City, Texas Dave Grady, Manager Telephone: (281) 338-2787 Fax: (281) 338-2788 Email: dave.grady@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Cargill, Inc. 15407 McGinty Road West Wayzata, Minnesota 55391</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA League City, Texas Dave Grady, Manager Telephone: (281) 338-2787 Fax: (281) 338-2788 Email: dave.grady@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 6.0 million bushels (163,293 metric tons)
Loading Capacity: 190,000 bushels (5,171 metric tons)
Number of Elevating Legs: 7
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 2
Vessel Loading Spouts: 12

Weighing System:

Scales: 7
Location: 4-Control Room (Hoppers)
2-Truck Dump (Hoppers)
1-Platform (Truck Dump)

Type of Scale: 4-Hoppers Full Electronic, Compuweigh (# 11, 12-rail receivers, 50,000 lbs. X 5 lbs.; # 18, 19-truck receivers, 100,000 lbs. X 20 lbs.)
2-Hoppers Full Electronic, Compuweigh CD 4000 (shippers-# 16-110,000 lbs. X 20 lbs. & # 23-120,000 lbs. X 20 lbs.)
1-Platform Vehicle Full Electronic, Weigh Tronix (120,000 lbs. X 20 lbs.)

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: Headhouse after Scales
Type of Sampler: Denver (1-Hydraulic, 1-Mechanical)

<p>FACILITY INFORMATION:</p> <p>Interstate Grain Port Terminal 5700 Upriver Road Corpus Christi, Texas 78407</p> <p>Lloyd Schultz, Elevator Manager Doug Klaevemann, Superintendent Telephone: (361) 289-0401 Fax: (361) 289-5653</p>	<p>GIPSA FIELD OFFICE:</p> <p>League City, Texas Dave Grady, Manager Telephone: (281) 338-2787 Fax: (281) 338-2788 Email: dave.grady@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Interstate Grain Corporation Post Office Box 9924 Corpus Christi, Texas 78469</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Corpus Christi, Texas (Duty Point) Telephone: (361) 888-3461 Fax: (361) 888-3463</p>

TECHNICAL DATA:

Storage Capacity: 6.3 million bushels (178,700 metric tons)
Loading Capacity: 60,000 bushels (1,700 metric tons)
Number of Elevating Legs: 5
Type of Operation: Direct Load
Surge Bins: 4
Bin Capacity: 15,000 bushels (408 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 5

Weighing System:

Scales: 6
Location: 2-Scale Floor in Headhouse
2-Outside Office
1-Rail Dump Location
1-Track scale

Type of Scale: 2-Compu Weigh Levertronic Hopper Bulkweighers, (100,000 lbs. X 20 lbs.)
2-Vehicle Levertronic, (120,000 lbs. X 20 lbs.)
(Rail-25,995 lbs. X 5 lbs.)
1-Cardinal Track Scale (400,000 lbs. X 50 lbs.)
1-Cardinal Receiver (26,000 lbs X 5lbs)

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: Sampler Floor in Head house
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Louis Dreyfus Elevator 1500 Main Street Post Office Box 28 Galena Park, Texas 77547</p> <p>Bill Mullins, Manager Joe Olivier, Superintendent Telephone: (713) 671-7100 Fax: (713) 671-7141</p> <p>(Formerly Houston Public Grain Elevator No. 2)</p>	<p>GIPSA FIELD OFFICE:</p> <p>League City, Texas Dave Grady, Manager Telephone: (281) 338-2787 Fax: (281) 338-2788 Email: dave.grady@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Louis Dreyfus Corporation 10 Westport Road (P. O. Box 810) Wilton, Connecticut 06897-0810</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA League City, Texas Dave Grady, Manager Telephone: (281) 338-2787 Fax: (281) 338-2788 Email: dave.grady@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 6.0 million bushels (163,293 metric tons)
Loading Capacity: 75,000 bushels (2,041 metric tons)
Number of Elevating Legs: 8
Type of Operation: Shipping Bins
Shipping Bins: 6
Bin Capacity: 10,000 bushels (272 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 3

Weighing System:

Scales: 7
Location: 2-Control Room (Shipping)-70,000 lbs. X 20 lbs.
2-Truck Dump (Receiving)-120,000 lbs. X 20 lbs.
3-Track Scales (Receiving)-300,000 lbs. X 50 lbs.
Type of Scale: 2-CompuWeigh CD 4000 (Shipping Scales)
2-CompuWeigh CD 2000 (Truck Scales)
3-CompuWeigh CD 3000 Track Scales)

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: 4th Floor
Type of Sampler: Gamet

<p>FACILITY INFORMATION:</p> <p>Port Elevator - Brownsville, LC 9155 R. L. Ostos Road Brownsville, Texas 78521</p> <p>Craig Elkins, Manager Telephone: (956) 831-8245 Fax: (956) 831-3181</p> <p>(Formerly Port of Brownsville Public Elevator)</p>	<p>GIPSA FIELD OFFICE:</p> <p>League City, Texas Dave Grady, Manager Telephone: (281) 338-2787 Fax: (281) 338-2788 Email: dave.grady@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Port Elevator – Brownsville, LC 9155 R. L. Ostos Road Brownsville, Texas 78521</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Corpus Christi, Texas (Duty Point) Telephone: (361) 888-3461 Fax: (361) 888-3463</p>

TECHNICAL DATA:

Storage Capacity: 3.0 million bushels (81,647 metric tons)
Loading Capacity: 50,000 bushels (1,601 metric tons)
Number of Elevating Legs: 4
Type of Operation: Direct Load
Surge Bins: 3
Bin Capacity: #13-7, 582 bushels (206 metric tons)
#14-8, 284 bushels (225 metric tons)
#23-5, 997 bushels (163 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 2

Weighing System:
Scales: 3
Location: 2-Scale Floor # 154 in Headhouse
1-Ground Level Outside Office
Type of Scale: 2-Toledo Full Electronic Hoppers
(# 1-15,000 lbs. X 2 lbs. & # 2-14,000 lbs. X 2 lbs.)
1-Toledo Vehicle Levertronic (150,000 lbs. X 20 lbs.)

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: Sampler Floor # 140 in Headhouse
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>ADM/ Growmark-Ama Elevator Post Office Box 97 11079 HWY 18 (River Road) Ama, Louisiana 70031</p> <p>Warren Duffy, Jr., Manager Mike Landry, Vessel Coordinator Scott Walsh, Superintendent Telephone: (504) 431-5778 Fax: (504) 431-7275</p> <p>Mississippi River Mile Marker: 117.5</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Archer-Daniels-Midland Grain Company 4666 Faries Parkway Decatur, Illinois 62525</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 5.0 million bushels (136,078 metric tons)
Loading Capacity: 80,000 bushels (2,177 metric tons)
Number of Elevating Legs: 6, Plus 2 Dryer Legs Partially in the House
Type of Operation: Shipping Bin
Shipping Bins: 16
Bin Capacity: 8-20,000 bushels (544 metric tons)
8-40,000 bushels (1,089 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 4 Drags

Weighing System:

Scales: 6
Location: 5-9th Floor
1-Between River & Levee (Barge)
Type of Scale: Compuweigh Hopper Full Electronic Series 4000

Mechanical Sampling System:

Diverter-Type Samplers: 6 Export, 1 Inbound
Location: Export-after Lower Garner before Shipping Bins
Inbound-8th Floor
Type of Sampler: 1-International Stanley
4-Modified Strand 1-Carter-Day Secondary

<p>FACILITY INFORMATION:</p> <p>ADM/Growmark-Destrehan Elevator 12710 River Road Destrehan, Louisiana 70047</p> <p>Warren Duffy, Jr., Manager Mike Landry, Vessel Coordinator Brent Boeckmann, Superintendent Telephone: (985) 764-7586 Fax: (985) 764-1888</p> <p>Mississippi River Mile Marker: Approximately 121.0</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Archer-Daniels-Midland Grain Company 4666 Faries Parkway Decatur, Illinois 62525</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 6.27 million bushels (170,641 metric tons)
Loading Capacity: 80,000 bushels (2,177 metric tons)
Number of Elevating Legs: 8
Type of Operation: Shipping Bin
Shipping Bins: 9
Bin Capacity: 25,000 bushels (680 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 7

Weighing System:

Scales: 8
Location: 7-5th Floor
1-2nd Floor
Type of Scale: 5 Compuweigh Series 4000 Full Electronic
3-Compuweigh Series 2000 Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 1 Export, 1 Inbound (Official)
Location: Export-above Shipping Scale # 8
Inbound-Head of RB-2 (Barge Belt)
Type of Sampler: Gamet

<p>FACILITY INFORMATION:</p> <p>ADM/Growmark-Reserve Elevator 2032 HWY 44 (Jefferson Highway) Reserve, Louisiana 70084</p> <p>Warren Duffy, Jr., Manager Floyd Sutton, Superintendent Telephone: (985) 536-1151 Fax: (985) 536-1152</p> <p>Mississippi River Mile Marker: 139.0</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Archer-Daniels-Midland Grain Company 4666 Faries Parkway Decatur, Illinois 62525</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 3.6 million bushels (97,976 metric tons)
Loading Capacity: 80,000 bushels (2,177 metric tons)
Number of Elevating Legs: 5
Type of Operation: Shipping Bin
Shipping Bins: 4
Bin Capacity: 5,000 bushels (136 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 3

Weighing System:

Scales: 7
Location: 4-6th Floor (Hoppers)
1-Dump Pit (Track Scale)
Type of Scale: 5-Compuweigh 4000 Hoppers
1-Howe-Richardson Track Full Electron

Mechanical Sampling System:

Diverter-Type Samplers: 3
Location: at head pulley of BC- 13
Inbound Belt # 6 near Tail Pulley
Tunnel at Head of Belt B-1
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Bunge Grain Elevator 12442 River Road Destrehan, Louisiana 70047</p> <p>Mike Tate, Manager William Fahnestock, Superintendent Telephone: (985) 764-6516 Fax: (985) 725-8245</p> <p>Mississippi River Mile Marker: 120.1</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Bunge Corporation 11720 Borman Drive St. Louis, Missouri 63146</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 6.2 million bushels (168,736 metric tons)
Loading Capacity: 80,000 bushels (2,177 metric tons)
Number of Elevating Legs: 5
Type of Operation: Shipping Bin
Shipping Bins: 13
Bin Capacity: 7-20,000 bushels (544 metric tons)
6- 40,000 bushels (1,089 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 8

Weighing System:

Scales: 8 (2 not unofficial)
Location: 5-6th Floor
1-Barge Unloading
2-Rail Unloading (unofficial)
Type of Scale: 5- Compuweigh Series 2000 Full Electronic
1- Compuweigh 3000- Barge
2- B & R Electronic (car dump- not certified)

Mechanical Sampling System:

Diverter-Type Samplers: 5-Export, (1 Approved for Wheat Only)
2-Domestic (Not Approved)
Location: 5th Floor, After Lower Garner before Shipping Bins
Type of Sampler: 5-Inter Systems (Approved)

<p>FACILITY INFORMATION:</p> <p>Cargill Terre Haute Elevator 2154 West Jefferson Highway (River Road) Reserve, Louisiana 70084</p> <p>Pat Gathman, Manager Paul Botos, Assistant Manager Mike Swearingen, Superintendent Telephone: (985) 536-1500 Fax: (985) 536-1515</p> <p>Mississippi River Mile Marker: 140.0</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Cargill, Inc. 15407 McGinty Road Wayzata, Minnesota 55391</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 7.743 million bushels (210,730 metric tons)
Loading Capacity: 100,000 bushels (2,722 metric tons)
Number of Elevating Legs: 3
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 2
Vessel Loading Spouts: 4

Weighing System:

Scales: 4
Location: 4th Floor Weigh Tower
Type of Scale: Compuweigh Hoppers Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 5
Location: 5th Floor, End of Belts at Head Pulley
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Cargill Westwego Elevator 933 River Road Westwego, Louisiana 70094</p> <p>Doug Koob, Manager Josh Perry, Superintendent Telephone: (504) 436-5814 Fax: (504) 436-5812</p> <p>Mississippi River Mile Marker: 102.8</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Cargill, Inc. 15407 McGinty Road Wayzata, Minnesota 55391</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 4.3 million bushels (117,027 metric tons)
Loading Capacity: 100,000 bushels/hr (2,722 metric tons)
Number of Elevating Legs: None (Inclined Belts)
Type of Operation: Shipping Bin
Shipping Bins: 12
Bin Capacity: 30,000 bushels (816 metric tons)
Export Conveyers: 4
Vessel Loading Spouts: 6 (3 Drags)

Weighing System:

Scales: 7
Location: 2-Shipping Scale Tower
2-New Barge System Tower
2-Car Dump
1-Screening Tower
Type of Scale: 6 - Compuweigh 2000
1 - Morrison T5000 M

Mechanical Sampling System:

Diverter-Type Samplers: 6
Location: # 1 & 2-Shipping
3 & 4-Rail Unloading
5 & 7-Barge Unloading
Type of Sampler: International Stanley Belt End

<p>FACILITY INFORMATION:</p> <p>CHS 434 East Ravenna Road Belle Chasse, Louisiana 70037</p> <p>Steve Talbot, Manager John Canatella, Superintendent Telephone: (504) 656-2212 Fax: (504) 656-7296</p> <p>Mississippi River Mile Marker: 61.0 Formerly: (Cenex Harvest, Myrtle Grove Terminal)</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Cenex-Harvest States Cooperatives Post Office Box 64089 St. Paul, Minnesota 55164-0089</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 6.5 million bushels (176,901)
Loading Capacity: 90,000 bushels (2,449)
Number of Elevating Legs: 5
Type of Operation: Combination-Direct Load & Shipping Bin
Shipping Bins: 6
Bin Capacity: 30,000 bushels (816 metric tons)
Export Conveyers: 1
Vessel Loading Spouts: 4

Weighing System:

Scales: 5-(2-Export, 2-Inbound, 1-Track)
Location: Office Control Room Downstair-Readout
4th Floor-Hopper
Car Dump-Track Scale
Type of Scale: 4-Compuweigh Hopper Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: 5th Floor
Type of Sampler: International Stanley (Primary-Export)
Gamet (Primary-Inbound)
Denver Secondary

<p>FACILITY INFORMATION:</p> <p>FGDI, L.L.C. Elevator Alabama State Docks State Docks Road, Pier D South Mobile, Alabama 36652</p> <p>Ike Johnston, Elevator Manager Arthur Fitzgerald, Office Manager Telephone: (251) 432-0075 Fax: (251) 432-7424</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Farmers Grain Dealers, Inc. Post Office Box 2805 Mobile, Alabama 36652</p>	<p>SERVICE PROVIDER:</p> <p>Alabama Department of Agriculture and Industries John H. Johnson, Chief Inspector Telephone: (251) 438-2549 Fax: (251) 438-2637 Email: mobagi1@bellsouth.net</p>

TECHNICAL DATA:

Storage Capacity: 1.1 million bushels (29,937 metric tons)
Loading Capacity: 60,000 bushels (1,633 metric tons) Maximum
Number of Elevating Legs: 5 (North House)
Type of Operation: Direct Load
Surge Bins: 3
Bin Capacity: 5,000 bushels (136 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 2

(Automated Inspection & Weighing System in Engineering Design)

Weighing System: (Computerized Weighing Systems)

Scales: 6
Location: 2-Headhouse
1-Truck Dump (Platform Scale)
Type of Scale: 3-Compuweigh 2000
2-Compuweigh 3000
1-Toledo Vehicle Electronic with
Compuweigh PC GMS Bulkweigh/CD 3000 controller

Mechanical Sampling System:

Diverter-Type Samplers: 5
Location: 5-North Headhouse below Scales
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Gemini (FLOATING RIG) Mississippi River, Mile Marker 121.1 Destrehan, Louisiana 70047</p> <p>Warren Duffy, Jr., Manager Dennis Miranda, Superintendent Telephone: (985) 785-0706 Fax: (985) 785-0771</p> <p>Mississippi River Mile Marker: 102.8</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Archer- Daniel- Midland Grain Company 4666 Faries Parkway Decatur, Illinois 62525</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: None
Loading Capacity: 25,000-30,000 bushels (780 – 816 metric tons)
Number of Elevating Legs: 4
Type of Operation: Direct Load
Surge Bins: None
Bin Capacity: N/A
Export Conveyers: None (Direct load from leg to spout)
Vessel Loading Spouts: 1

Weighing System:

Scales: 1
Location: Center of Rig in Lower Tower Section
Type of Scale: Compuweigh Series 2000

Mechanical Sampling System:

Diverter-Type Samplers: 1
Location: Between Shipping Leg Head & Loading Boom
Type of Sampler: Gamet

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
Georgia Ports Authority Colonel's Island Bulk Facility 157 Penniman Circle Brunswick, Georgia 31525 Ronnie Abner, Elevator Manager Telephone: (912) 262-2391 Fax: (912) 262-2386	New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov
FACILITY OPERATOR:	SERVICE PROVIDER:
Georgia Ports Authority Post Office Box 2406 Savannah, Georgia 31402	GIPSA, Brunswick, Georgia (Duty Point) Telephone: (912) 280-0040 Fax: (912) 280-0045

TECHNICAL DATA:

Storage Capacity: 2.3 million bushels (62,596 metric tons)
Loading Capacity: 40,000 bushels (1,081 metric tons)
Number of Elevating Legs: 6-Bucket Elevators & 1 Incline belt
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 1
Vessel Loading Spouts: 1

Weighing System:

Scales: 4
Location: Export Tower, Rail Receiving, Rail Loadout, & Truck Dump
Type of Scale: 3-Compuweigh Hoppers
1-Toledo Truck Scale

Mechanical Sampling System:

Diverter-Type Samplers: 1
Location: Export Tower
Type of Sampler: Interstate System

<p>FACILITY INFORMATION:</p> <p>MGMT Barge (FLOATING RIG) 6024 HWY 44 (River Road) Convent, Louisiana 70723</p> <p>Perry Becnel, Manager Telephone: (504) 433- 9574 Fax: (504) 433- 9525</p> <p>Mississippi River Mile Marker: 57.3</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Associated Grain Terminal 848 Behr Main Highway Gretna, LA 70056</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: None
Loading Capacity: 60,000 bushels (1,633 metric tons)
Number of Elevating Legs: None (Inclined Belt)
Type of Operation: Direct Load
Surge Bins: None
Bin Capacity: N/A
Export Conveyers: None
Vessel Loading Spouts: 1

Weighing System:

Scales: 2
Location: Bow of Vessel
Type of Scale: Compuweigh 2000

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: Shipping Belt End (Bow)
Receiving Belt End (Stern)
Type of Sampler: International Stanley Primary
Gamet Secondary

<p>FACILITY INFORMATION:</p> <p>Lake Charles Public Elevator Bulk Terminal No. 2 150 Marine Street Lake Charles, Louisiana 70601</p> <p>Adam McBride, Port Director Telephone: (337) 493-3596 Fax: (337) 493-3598</p> <p>(This facility primarily handles rice and other bagged commodities.)</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Lake Charles Harbor & Terminal District Post Office Box 3753 Lake Charles, Louisiana 70602</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 750 thousand bushels (20,412 metric tons)
Loading Capacity: 25,000 bushels (680 metric tons)
Number of Elevating Legs: 1
Type of Operation: Shipping Bin
Shipping Bins: 3
Bin Capacity: 12,000 bushels (327 metric tons)
Export Conveyers: 1-to Scale
2-to Loading Spouts below Scale
Vessel Loading Spouts: 2

Weighing System:

Scales: 3
Location: Ship Scale House (Official)
Truck Dump (Unofficial)
Rail Dump (Unofficial)
Type of Scale: 2- Compuweigh 200
1-Toledo Vehicle Electronic (Unofficial)

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: Export-Downside of Elevator Leg above Shipping Bins
Above Upper Garner of Shipping Scale (Checktesting Only)
Type of Sampler: Denver & Carter-Day (Primary)
International Stanley & Carter-Day (Secondary)

<p>FACILITY INFORMATION:</p> <p>ADM/ Growmark- St. Elmo 3338 HWY 44 Paulina, Louisiana 70763</p> <p>Warren Duffy Jr., Manager (X-26) Floyd Sutton., Superintendent (X-30) Telephone: (225) 869-4405 Fax: (225) 869-4517</p> <p>(Formerly St. Elmo Terminal Elevator) Mississippi River Mile Marker: 150.0</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Peavey Company, A Division of ConAgra, Inc. 11 ConAgra Drive Omaha, Nebraska 68102</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 2 million bushels (54,431 metric tons)
Loading Capacity: 60,000 bushels (1,633 metric tons)
Number of Elevating Legs: 4 Outside Legs
Type of Operation: Direct Load
Surge Bins: None
Bin Capacity: N/A
Export Conveyers: 1
Vessel Loading Spouts: 2

Weighing System:

Scales: 4-Outbound
2-Receiving
Location: 2nd Floor (Shipping)
3rd Floor (Barge & Rail)
Parking Lot (Vehicle Platform Scale)
Type of Scale: 5-One Weigh Scales
1-Cardinal Vehicle Scale

Mechanical Sampling System:

Diverter-Type Samplers: 3
Location: 5th Floor (before Scales)
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Port of Baton Rouge Grain Elevator 520 Elevator Road Port Allen, Louisiana 70767</p> <p>Burnie Juneau, Manager Blake Dukote, Superintendent Telephone (225) 383-5221 Fax: (225) 383-0953</p> <p>Mississippi River Mile Marker: 228.0</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Cargill, Inc. 15407 McGinty Road West Wayzata, Minnesota 55391</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Port Allen, Louisiana (Duty Point) Telephone: (225) 389-0373 Fax: (225) 389-0484</p>

TECHNICAL DATA:

Storage Capacity: 7.0 million bushels (190, 509 metric tons)
Loading Capacity: 60,000 bushels (1,633 metric tons)
Number of Elevating Legs: 16
Type of Operation: Direct Load
Shipping Bins: None
Bin Capacity: N/A
Export Conveyers: 1
Vessel Loading Spouts: 4

Weighing System:

Scales: 6
Location: 3-Headhouse (Hoppers)
2-Platform (Receiving)
1-Platform (Truck Shipping)
Type of Scale: Compuweigh 4000 Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 8
Location: 1-Head of Leg (Export) 1-Head of Leg (In Truck)
2-Receiving Belt (Out Truck) 2-Head of Leg (In Rail)
2-Belt Spout (In Barge)
Type of Sampler: 5-International Stanley
2-Gamet 1-Denver

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
<p>RG-1 (FLOATING RIG) Destrehan, Louisiana 70047</p> <p>Warren Duffy Jr., Manager Dennis Miranda, Superintendent Telephone: (985) 785-0706 Fax: (985) 785-0771</p> <p>Mississippi River Mile Marker: Approximately 121 Stored at Laplace Anchorage- Not currently in use.</p>	<p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
FACILITY OPERATOR:	SERVICE PROVIDER:
<p>Archer –Daniel –Midland Grain Company 4666 Faries Parkway Decatur, Louisiana 62525</p>	<p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: None
Loading Capacity: 30,000 bushels (816 metric tons)
Number of Elevating Legs: 1
Type of Operation: Direct Load
Surge Bins: None
Bin Capacity: N/A
Export Conveyers: None
Vessel Loading Spouts: 1

Weighing System:

Scales: 1
Location: Below Receiving Hopper
Type of Scale: Compuweigh 2000 Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 1
Location: Top of Spout
Type of Sampler: Inter Systems

<p>FACILITY INFORMATION:</p> <p>Rig-America (FLOATING RIG) 3027 Highway 75 Darrow, Louisiana 70725</p> <p>Ed Laurendine, Manager Leo Bandsma, Superintendent Telephone: (225) 474-3200 Fax: (225) 473-6161</p> <p>Mississippi River Mile Marker: 175.0</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Cooper/T. Smith Stevedoring Co., Inc. 118 North Royal Street Mobile, Alabama 36633</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: None
Loading Capacity: 47,000 bushels (1,279 metric tons)
Number of Elevating Legs: 2
Type of Operation: Direct Load
Surge Bins: None
Bin Capacity: N/A
Export Conveyers: None
Vessel Loading Spouts: 1

Weighing System:

Scales: 2
Location: Starboard Pontoon
Type of Scale: 2- Compuweigh 2000 Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: Top of Elevating Legs (Drop Side)
Type of Sampler: Gamet

<p>FACILITY INFORMATION:</p> <p>Zen-Noh Grain Corporation 8886 HWY 44 Convent, Louisiana 70723</p> <p>Todd Canatella , Manager Charles LeBouef, Superintendent Telephone: (225) 562-3571 Fax: (225) 562-5335</p> <p>Mississippi River Mile Marker: 164.5</p>	<p>GIPSA FIELD OFFICE:</p> <p>New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Zen-Noh Grain Corporation 1001 Highway 190 Suite 200 Covington, Louisiana 70433</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA New Orleans, Louisiana Kerry F. Petit, Manager Telephone: (985) 764-2324 Fax: (985) 764-0732 Email: kerry.f.petit@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 4 million bushels (108,862 metric tons)
Loading Capacity: 120,000 bushels (3,266 metric tons)
Number of Elevating Legs: 6 Outside Legs
Type of Operation: Shipping Bin
Shipping Bins: 12
Bin Capacity: 30,000 bushels (800 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 4

Weighing System:

Scales: 6
Location: 4-Weigh Tower (Export)
1-North of Elevator (Rail & Truck)
1-Side of Elevator (Truck)
Type of Scale: 5-Compuweigh Hopper Full Electronic
1-Compuweigh Vehicle Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 4
Location: 5th Floor End of Belts at Head Pulley
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Cargill Irving Elevator 800 North River Portland, Oregon 97227</p> <p>Lance Bachman, Export Superintendent Telephone: (503) 281-9177 Fax: (503) 281-1971</p>	<p>GIPSA FIELD OFFICE:</p> <p>Portland, Oregon Edward Durgin, Manager Telephone: (503) 326-7887 Fax: (503) 326-7896 Email: edward.c.durgin@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>CLD Pacific Grain, LLC 222 SW Columbia, Suite 1133 Portland, Oregon 97201</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Portland, Oregon Edward Durgin, Manager Telephone: (503) 326-7887 Fax: (503) 326-7896 Email: edward.c.durgin@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 1.386 million bushels (37,721 metric tons)
Loading Capacity: 50,000 bushels (1,361 metric tons)
Number of Elevating Legs: 5
Type of Operation: Shipping Bin
Shipping Bins: 5
Bin Capacity: 4-40,000 bushels (1,089 metric tons)
1-13,333 bushels (363 metric tons)
Export Conveyers: 1
Vessel Loading Spouts: 5

AUTOMATED WEIGHING SYSTEM: None

Weighing System:

Scales: 4
Location: Ground Floor (Truck & Rail)
7th Floor (Shipping # 1)
9th Floor (Shipping & Receiving # 2)
Type of Scale: 2-AGRIS OneWeigh Hopper Full Electronic
1-Mettler Toledo IND 780 Track/Truck Full Electronic
1-Toledo Remote Vehicle Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 4
Location: 12th Floor (D/T's 3 & 4) (Secondary on 11th Floor)
9th Floor (D/T 1)
2nd Floor (Barge D/T)
Type of Sampler: International Stanley and Gamet

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
Columbia Grain, Inc., Terminal # 5 15660 North Lombard Portland, Oregon 97203 Randy Cartmill, General Manager Telephone: (503) 286-9681 Fax: (503) 289-9757	Portland, Oregon Edward Durgin, Manager Telephone: (503) 326-7887 Fax: (503) 326-7896 Email: edward.c.durgin@usda.gov
FACILITY OPERATOR:	SERVICE PROVIDER:
Columbia Grain, Inc. 15660 North Lombard Portland, Oregon 97203	GIPSA Portland, Oregon Edward Durgin, Manager Telephone: (503) 326-7887 Fax: (503) 326-7896 Email: edward.c.durgin@usda.gov

TECHNICAL DATA:

Storage Capacity: 4.0 million bushels (108,862 metric tons)
Loading Capacity: 70,000 bushels (1905 metric tons)
Number of Elevating Legs: 8
Type of Operation: Shipping Bin
Shipping Bins: 6
Bin Capacity: 33,000 bushels (910 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 3

AUTOMATED WEIGHING SYSTEM: None

Weighing System:

Scales: 6
Location: Ground Floor (Rail & Trucks)
3rd Floor (Barges)
6th Floor (#s 1 & 2)
Type of Scale: 3-AGRIS OneWeigh Hopper Full Electronic
2-Mettler Toledo Track Full Electronic
1-Mettler Toledo Vehicle Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 5
Location: 7th Floor (Export) (D/T 1 & 2); Intersystems
7th Floor (Receiving) North Pit Leg 2; Intersystems
4th Floor (Barge D/T); Gamet
Top of Headhouse (Receiving D/T, Leg E7); Intersystems
Type of Sampler: See Above

<p>FACILITY INFORMATION:</p> <p>Louis Dreyfus Elevator Foot of North Holladay Street Portland, Oregon 97232</p> <p><u>Mail:</u> 222 S W Columbia Suite 1133 Portland, Oregon 97201</p> <p>Lance Bachman, Export Superintendent Telephone: (503) 281-9177 Fax: (503) 281-1971</p>	<p>GIPSA FIELD OFFICE:</p> <p>Portland, Oregon Edward Durgin, Manager Telephone: (503) 326-7887 Fax: (503) 326-7896 Email: edward.c.durgin@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>CLD Pacific Grain, LLC 222 SW Columbia, Suite 1133 Portland, Oregon 97201</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Portland, Oregon Edward Durgin, Manager Telephone: (503) 326-7887 Fax: (503) 326-7896 Email: edward.c.durgin@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 1.8 million bushels (48,988 metric tons)
Loading Capacity: 45,000 bushels (1,225 metric tons)
Number of Elevating Legs: 4
Type of Operation: Direct Load
Surge Bins: 2
Bin Capacity: 2,167 bushels (60 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 6

Weighing System:

Scales: 4
Location: 9th Floor
Type of Scale: Compuweigh Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 4
Location: Rooftop (2-Receiving, 1-Export)
Ground Floor (Barge)
Type of Sampler: International Stanley and Gamet

<p>FACILITY INFORMATION:</p> <p>Port of Sacramento Elevator Harbor & Industrial BLVD., Berth # 5 West Sacramento, California 95691</p> <p>David Mighetto, Manager & Superintendent Telephone: (916) 371-8000 Fax: (916) 372-4802</p>	<p>GIPSA FIELD OFFICE:</p> <p>Portland, Oregon Edward Durgin, Manager Telephone: (503) 326-7887 Fax: (503) 326-7896 Email: edward.c.durgin@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Port of Sacramento Post Office Box 980070 3251 Beacon Street, Suite 210 West Sacramento, CA 95798-0070</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA California (Duty Point) Telephone: (916) 374-9797 Fax: (916) 374-9779</p>

TECHNICAL DATA:

Storage Capacity: 1.25 million bushels (34,019 metric tons)
Loading Capacity: 21,200 bushels (572 metric tons)
Number of Elevating Legs: 3 (1 leg in shipping system)
Type of Operation: Direct Load
Shipping Bins: N/A

Bin Capacity: N/A
Export Conveyers: 1
Vessel Loading Spouts: 1

Weighing System:

Scales: 5
Location: 1-3rd Floor New House - Shipping
1-3rd Floor Old House - Receiving
2-South End of Elevator - Trucks
1-Main Floor of Warehouse
Type of Scale: 2-Fairbanks-Morse Hoppers Full Electronic
1-Compuweigh Hopper Levertronic
2-Cardinal Vehicle Levertronic

Mechanical Sampling System:

Diverter-Type Samplers: 1
Location: Above Spout in Sea Gallery
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Penny-Newman Grain Company 1805 Harbor Road Stockton, California 95203</p> <p>Robert Mentelos, Manager Telephone: (209) 466-5446 Fax: (209) 466-1236</p> <p>(Formerly Continental Grain Elevator)</p>	<p>GIPSA FIELD OFFICE:</p> <p>Portland, Oregon Edward Durgin, Manager Telephone: (503) 326-7887 Fax: (503) 326-7896 Email: edward.c.durgin@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Penny-Newman Grain Company Post Office Box 26240 Fresno, California 93729-6240</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA California (Duty Point) Telephone: (916) 374-9797 Fax: (916) 374-9779</p>

TECHNICAL DATA:

Storage Capacity: 6.5 million bushels (176,901 metric tons)
Loading Capacity: 40,000 bushels (1,089 metric tons)
Number of Elevating Legs: 15 (3 Legs in Shipping System)
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 2
Vessel Loading Spouts: 2

Weighing System:

Scales: 6
Location: 3-6th Floor - Shipping & Receiving
3-Southeast Side of Elevator (Trucks)
Type of Scale: 2-Compu/Weigh Bulk Levertronic
2-Holman/Flexweigh Vehicle Levertronic
1-Rice Lake Vehicle Full Electronic
1-Weightronix Track Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: 4th Floor between Lower Garners & Shipping Belts
Type of Sampler: Quality Control

FACILITY INFORMATION: ADM Grain Company 1308 Miami Street Toledo, Ohio 43605 Mike Stinson, Elevator Manager Telephone: (419) 691-3002 Fax: (419) 691-2855	GIPSA FIELD OFFICE: Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893- 2861 Email: david.m.mundwiler@usda.gov
FACILITY OPERATOR: ADM Grain Company 4666 Faries Parkway Decatur, Illinois 62526	SERVICE PROVIDER: GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov

TECHNICAL DATA:

Storage Capacity: 9.6 million bushels (261,269 metric tons)
Loading Capacity: 80,000 bushels (2,177 metric tons)
Number of Elevating Legs: 2
Type of Operation: Shipping Bin
Shipping Bins: 6
Bin Capacity: 20,000 bushels (544 metric tons)
Export Conveyers: None
Vessel Loading Spouts: 3

Weighing System:

Scales: 1
Location: Headhouse Scale Floor
Type of Scale: Toledo Hopper Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 1
Location: Belt to Shipping Bins
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>The Andersons Maumee / Illinois Elevator 507 Illinois Avenue Maumee, Ohio 43537</p> <p>Ken Schmenk, Operations Manager Telephone: (419) 891-2781 Fax: (419) 891-6513</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893- 2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>The Andersons 480 W. Dussel Drive Maumee, Ohio 43537</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893- 2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 17.0 million bushels (462,664 metric tons)
Loading Capacity: 35,000 bushels (953 metric tons)
Number of Elevating Legs: 3
Type of Operation: Direct Load
Surge Bins: None
Bin Capacity: N/A
Railcar Conveyers: N/A
Railcar Loading Spouts: 1

Weighing System:

Scales: 1
Location: Railcar Track Scale 53 House
Type of Scale: Emery Winslow Hypertronic

Mechanical Sampling System:

Diverter-Type Samplers: 1
Location: Above Track Scale
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>The Andersons Maumee/Conant Elevator 1283 North Conant Street Maumee, Ohio 43537</p> <p>Ken Schmenk, Operations Manager Telephone: (419) 891-2781 Fax: (419) 891-2996</p> <p>Formerly Cargill, Maumee</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>The Andersons 480 W. Dussel Drive Maumee, Ohio 43537</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 6.261 million bushels (170,396 metric tons)
Loading Capacity: 20,000 bushels (544 metric tons)
Number of Elevating Legs: 1
Type of Operation: Direct Load
Surge Bins: None
Bin Capacity: N/A
Railcar Conveyers: N/A
Railcar Loading Spouts: 1

Weighing System:

Scales: 1
Location: Headhouse Scale Floor
Type of Scale: Hopper Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 1
Location: Headhouse
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>The Andersons River/Edwin Elevator 125 Edwin Drive Toledo, Ohio 43609</p> <p>Don Wray, Elevator Superintendent Telephone: (419) 243-6800 Fax: (419) 243-7352</p> <p>Formerly Cargill, Toledo</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>The Andersons 480 W. Dussel Drive Maumee, Ohio 43537</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 5.9 million bushels (160,572 metric tons)
Loading Capacity: 60,000 bushels (1,633 metric tons)
Number of Elevating Legs: 2
Type of Operation: Direct Load
Surge Bins: None
Bin Capacity: N/A
Export Conveyers: 1
Vessel Loading Spouts: 1

Weighing System:

Scales: 3
Location: Headhouse Scale Floor
Type of Scale: 2-Full Electronic Hoppers (Inbound Trucks)
1-Bulkweigher Full Electronic Hopper

Mechanical Sampling System:

Diverter-Type Samplers: 1
Location: Below Lower Garner Discharge to Railcar or Export Belt
Type of Sampler: International Stanley (Spout-Crosscut D/T)

<p>FACILITY INFORMATION:</p> <p>The Andersons River/Kuhlman Elevator 440 Kuhlman Drive Toledo, Ohio 43609</p> <p>Don Wray, Elevator Superintendent Telephone: (419) 241-8943 & 4669 Fax: (419) 255-5366</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>The Andersons 480 W. Dussel Drive Maumee, OH 43537</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 7.0 million bushels (190,509 metric tons)
Loading Capacity: 50,000 bushels (1,361 metric tons)
Number of Elevating Legs: 2
Type of Operation: Shipping Bin
Shipping Bins: 7
Bin Capacity: 6-11,000 bushels (300 metric tons)
1-6,000 bushels (200 metric tons)
Export Conveyers: None
Vessel Loading Spouts: 7

Weighing System:

Scales: 4
Location: Headhouse Scale Floor
Type of Scale: 2-Toledo Vehicle Full Electronic
1-Toledo Rail Road Track Electronic
1-Toledo Hopper Full Electronic (Export)

Mechanical Sampling System:

Diverter-Type Samplers: 1
Location: Below Export Scale
Type of Sampler: Anderson

<p>FACILITY INFORMATION:</p> <p>Cargill Elevator 100 Grain Street Albany, New York 12202</p> <p>Christopher Garcia, Location Manager Telephone: (518) 465-2120 Fax: (518) 432-7597</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Cargill, Inc. 15407 McGinty Road West Wayzata, Minnesota 55391</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 10.5 million bushels (285,763 metric tons)
Loading Capacity: 50,000 bushels (1,361 metric tons)
Number of Elevating Legs: 2
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 1
Vessel Loading Spouts: 1 PECO Loader

Weighing System:

Scales: 2
Location: 1-Shipping Scale in Shipping Tower
1-Receiving Scale in Headhouse
Type of Scale: Compuweigh Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: 1-Shipping in Shipping Tower
1-Receiving in Headhouse
Type of Sampler: International Stanley

FACILITY INFORMATION: Cargill Burns Harbor Elevator 6640 Ship Drive Portage, Indiana 46368 Dave Olson, Elevator Superintendent Telephone: (219) 787-8624 Fax: (219) 787-9465	GIPSA FIELD OFFICE: Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov
FACILITY OPERATOR: Cargill, Inc. 15407 McGinty Road West Wayzata, Minnesota 55391	SERVICE PROVIDER: GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov

TECHNICAL DATA:

Storage Capacity: 5.0 million bushels (136,078 metric tons)
Loading Capacity: 90,000 bushels (2,449 metric tons)
Number of Elevating Legs: 1
Type of Operation: Direct Load
Surge Bins: None
Bin Capacity: N/A
Export Conveyers: 1
Vessel Loading Spouts: 1

Weighing System:

Scales: 3
Location: Elevator Tower
Type of Scale: 1-Compuweigh 2000 Full Electronic
 2-Weightronics WI-130 Vehicle Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: Below Scale in Tower
Type of Sampler: International Stanley

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
<p>Chicago & Illinois River Marketing, LLC - Elevator B 11700 South Torrence Avenue Chicago, Illinois 60617</p> <p>Dennis Populorum, Manager & Superintendent Telephone: (773) 375-1830 Fax: (773) 375-4162 (Formerly Continental "B")</p>	<p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
FACILITY OPERATOR:	SERVICE PROVIDER:
<p>Chicago & Illinois River Marketing, LLC 960 E Bay Street Milwaukee, Wisconsin 53207</p>	<p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 10.5 million bushels (285,763 metric tons)
Loading Capacity: 30,000 bushels (816 metric tons)
Number of Elevating Legs: 4
Type of Operation: Direct Load
Surge Bins: 5
Bin Capacity: 18,000 bushels (490 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 5

Weighing System:

Scales: 7
Location: 5-Hopper Scales in Headhouse
2-Truck Dump Scales at Ground Level
Type of Scale: 5-Fairbanks-Morse Hoppers MFCB Levertronic
1-Streeter-Amet Vehicle Electronic
1-Fairbanks-Morse Vehicle Levertronic

Mechanical Sampling System:

Diverter-Type Samplers: 3
Location: 2-Bin Deck
1-Distribution Floor
Type of Sampler: International Stanley

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
Perdue Farms, Inc. South Elevator 501 Barnes Road Chesapeake, Virginia 23324 Mike Barber, Merchandising Manager Greg Hansen, Elevator Superintendent Telephone: (757) 494-5596 Fax: (757) 494-5548	Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov
FACILITY OPERATOR:	SERVICE PROVIDER:
Perdue Farms, Inc. 7036 Zion Church Road Salisbury, Maryland 21804	Virginia Department of Agriculture and Consumer Services Paul Caruso, Supervisor Telephone: (757) 494-2464 Fax: (757)-494-2463 Email: paul.caruso@vdacs.virginia.gov

TECHNICAL DATA:

Storage Capacity: 5.7 million bushels (155,129 metric tons)

Loading Capacity: 60,000 bushels (1,633 metric tons)

Number of Elevating Legs: 5

Type of Operation: Direct Load

Shipping Bins: N/A

Bin Capacity: N/A

Export Conveyers: 1

Vessel Loading Spouts: 2 PECO Loaders

Weighing System:

Scales: 7

Location: 1-Shipping Scale in Scale Tower
1-Barge Receiving Scale in Headhouse
1-Railcar Receiving Scale in Scale Tower
2-Platform Scales at Old Truck Dump
2-Hopper Scales at New Truck Dump

Type of Scale: 3-Compuweigh Bulk Weigher (Barge & Rail Receiving and Export)
2-Weightronic Bulk Weigher (New Truck Dump)
2-Weightronic Vehicle Electronic Platform

Mechanical Sampling System:

Diverter-Type Samplers: 5

Location: Export, Barge & Rail Receiving in Headhouse
Truck Dump (Out of Service)
Transfer & Pre-ship D/Ts Unofficial

Type of Sampler: 2-Denver
3-Gamet

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
Duluth Lake Port 600 Garfield Avenue Duluth, Minnesota 55802 Michael Kylmala, Superintendent & Manager Telephone: (218) 722-6506 Fax: (218) 722-0076	Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov
FACILITY OPERATOR:	SERVICE PROVIDER:
Riverland Ag Corp. 3033 Excelsior Blvd. Minneapolis, Minnesota 55416	GIPSA Duluth/Superior (Duty Point) Telephone: (715) 392-7677 Fax: (715) 392-7741

TECHNICAL DATA:

Storage Capacity: 4.2 million bushels (114,305 metric tons)
Loading Capacity: 50,000 bushels (1361 metric tons)
Number of Elevating Legs: 14
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 0
Vessel Loading Spouts: 1

Weighing System:

Scales: 7
Location: Scale Floor (Hoppers), South of Workhouse (Vehicle Scale)
Type of Scale: 5-Compuweigh Hopper Full Electronic
 1-Fairbanks Hopper MCPB
 1-Fairbanks Vehicle MTRB

Mechanical Sampling System:

Diverter-Type Samplers: 6
Location: Spout Floor
Type of Sampler: International Stanley

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
Riverland Ag Duluth Storage 250 Garfield Avenue Duluth, Minnesota 55802 Gary Pearson, Manager & Superintendent Telephone: (218) 727-7219 (Ext. 11) Fax: (218) 727-8718	Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov
FACILITY OPERATOR:	SERVICE PROVIDER:
Riverland Ag Corp. 3033 Excelsior Blvd. Minneapolis, Minnesota 55416	GIPSA Duluth/Superior (Duty Point) Telephone: (715) 392-7677 Fax: (715) 392-7741

TECHNICAL DATA:

Storage Capacity: 9.8 million bushels (266,712 metric tons)
Loading Capacity: 140,000 bushels (3,810 metric tons) (2 Docks)
Number of Elevating Legs: 8
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 3
Vessel Loading Spouts: 6

Weighing System:

Scales: 8
Location: Scale Floor (Hoppers)
Control Room (Readouts)
Type of Scale: 1-Compuweigh Hopper Full Electronic
2-Fairbanks-Morse Vehicle MTRB
5-B & R Hoppers Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 7
Location: 4-Off Leg Discharge Spouts
1-Below Scale 14 Lower Garner
2-End of Transfer Belt from Truck Receiving Hoppers
Type of Sampler: 5-Denver 2-Gamet

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
<p>CHS Inc. # 1 41 Dock Street Superior, Wisconsin 54880</p> <p>Lance Helgeson, Manager Conrad Erickson, Superintendent Telephone: (715) 392-4734 Fax: (715) 394-6926</p> <p>Formerly: Cenex Harvest States Cooperatives # 1</p>	<p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
FACILITY OPERATOR:	SERVICE PROVIDER:
<p>CHS, Inc. Post Office Box 64089 St. Paul, Minnesota 55164-0089</p>	<p>Wisconsin Department of Agriculture, Trade and Consumer Protection Carl Avery, Manager Telephone: (715) 392-7854 Fax: (715) 392-7847 Email: carl.avery@wisconsin.gov</p>

TECHNICAL DATA:

Storage Capacity: 7.5 million bushels (204,117 metric tons)
Loading Capacity: 65,000 bushels (1,769 metric tons)
Number of Elevating Legs: 4
Type of Operation: Direct Load
Surge Bins: 3
Bin Capacity: 5,000 bushels (136 metric tons)
Export Conveyers: 3
Vessel Loading Spouts: 8

Weighing System:

Scales: 5
Location: Scale Floor (Hoppers)
Scale Floor, Control Room (Readout)
East of Annex (Trucks)
Type of Scale: 3-Compuweigh Hoppers Full Electronic
1-Compuweigh Vehicle Full Electronic
1-Compuweigh Track Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 7
Location: 3-Spout Floor 2-Top of Jacklegs
1-Gallery Belt 1-Shipping Conveyor
Type of Sampler: International Stanley

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
<p>CHS Inc. # 2 41 Dock Street Superior, Wisconsin 54880</p> <p>Lance Helgeson, Manager Brian Martin, Superintendent Telephone: (715) 394-3193 Fax: (715) 394-6926</p> <p>Formerly: Cenex Harvest States Cooperatives # 2</p>	<p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
FACILITY OPERATOR:	SERVICE PROVIDER:
<p>CHS Inc. Post Office Box 64089 St. Paul, Minnesota 55164-0089</p>	<p>Wisconsin Department of Agriculture, Trade and Consumer Protection Carl Avery, Manager Telephone: (715) 392-7854 Fax: (715) 392-7847 Email: carl.avery@wisconsin.gov</p>

TECHNICAL DATA:

Storage Capacity: 11 million bushels (299,371 metric tons)
Loading Capacity: 65,000 bushels (1,769 metric tons)
Number of Elevating Legs: 5
Type of Operation: Direct Load
Surge Bins: 5
Bin Capacity: 5,000 bushels (144 metric tons)
Export Conveyers: 1
Vessel Loading Spouts: 5

Weighing System:

Scales: 6
Location: Scale Floor, Distribution Floor, & Control Room (Readouts)
Type of Scale: 5-Compuweigh Hoppers Full Electronic
1-Compuweigh Track Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 5
Location: Spout Floor & Top of Jackleg
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Chicago & Illinois River Marketing Elevator 960 East Bay Street Milwaukee, Wisconsin 53207</p> <p>Richard Blaylock, Manager & Superintendent Telephone: (414) 482-1900 Fax: (414) 482-1733</p> <p>(Formerly Continental KK Elevator)</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Chicago & Illinois River Marketing, LLC 960 E. Bay Street Milwaukee, Wisconsin 53207</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 259-6276 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 3 million bushels (81,647 metric tons)
Loading Capacity: 40,000 bushels (1,089 metric tons)
Number of Elevating Legs: 9
Type of Operation: Direct Load
Surge Bins: 12
Bin Capacity: 2,500 bushels (68 metric tons)
Export Conveyers: 6

Vessel Loading Spouts: 6

Weighing System:

Scales: 8
Location: 6-Headhouse
2-Ground Level
Type of Scale: 6-Morrison Full Electronic Hoppers
1-Vehicle Levertronic/Weightronic
1-Vehicle Full Electronic-Weightronic

Mechanical Sampling System:

Diverter-Type Samplers: 4
Location: Distribution Floor
Type of Sampler: International Stanley

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
General Mills Elevator "A" 200 Garfield Avenue Duluth, Minnesota 55802 Douglas Christiansen, Elevator & Office Manager Telephone: (218) 722-7759 Fax: (218) 727-7956	Toledo Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov
FACILITY OPERATOR:	SERVICE PROVIDER:
General Mills, Inc. One General Mills Boulevard Minneapolis, Minnesota 55246	GIPSA Duluth/Superior (Duty Point) Telephone: (715) 392-7677 Fax: (715) 392-7741

TECHNICAL DATA:

Storage Capacity: 3.792 million bushels (103,201 metric tons)
Loading Capacity: 60,000 bushels (1633 metric tons)
Number of Elevating Legs: 8
Type of Operation: Direct Load
Surge Bins: 4
Bin Capacity: 2,000 bushels (54 metric tons) (Not in Use)
Export Conveyers: 1
Vessel Loading Spouts: 1

Weighing System:

Scales: 9
Location: Scale Floor (Hoppers)
West of Annex (Vehicles)
Type of Scale: 7-Howe-Richardson Hopper Levertronic
1-Fairbanks-Morse Vehicle MTRB
1-Fairbanks-Morse Hopper MCPB

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: Bin Floor & Annex
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>General Mills - Annex B BN Dock Superior, Wisconsin</p> <p>Douglas Christiansen, Manager & Superintendent Telephone: (218) 722-7759 Fax: (218) 727-7956</p> <p>(Mail) 200 Garfield Avenue Duluth, Minnesota 54880</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>General Mills, Inc. One General Mills Boulevard Minneapolis, Minnesota 55426</p>	<p>SERVICE PROVIDER:</p> <p>Wisconsin Department of Agriculture, Trade and Consumer Protection Carl Avery, Manager Telephone: (715) 392-7854 Fax: (715) 392-7847 Email: carl.avery@wisconsin.gov</p>

TECHNICAL DATA:

Storage Capacity: 3.4 million bushels (92,533 metric tons)
Loading Capacity: 60,000 bushels (1,633 metric tons)
Number of Elevating Legs: 18
Type of Operation: Direct Load
Surge Bins: 3
Bin Capacity: 10,000 Bushels (272 metric tons)
Export Conveyers: 3
Vessel Loading Spouts: 3

Weighing System:

Scales: 18
Location: Scale Floor
Type of Scale: Compuweigh Hopper Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 18
Location: Machine Floor (Top Floor)
Type of Sampler: Strand

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
<p>Gavilon Grain LLC, d.b.a. Peavey Company 400 N. Main Superior, Wisconsin 54880</p> <p>Mick Sertick, Manager & Superintendent Dave Lundeen, Office Manager Telephone: (715) 392-4853 Fax: (715) 392-9874</p>	<p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
FACILITY OPERATOR:	SERVICE PROVIDER:
<p>Gavilon Grain LLC, d.b.a. Peavey Company 11 ConAgra Drive, Suite 11-160 Omaha, Nebraska 68102- 1060</p>	<p>Wisconsin Department of Agriculture, Trade and Consumer Protection Carl Avery, Manager Telephone: (715) 392-7854 Fax: (715) 392-7847 Email: carl.avery@wisconsin.gov</p>

TECHNICAL DATA:

Storage Capacity: 9 million bushels (244,940 metric tons)

Loading Capacity: 75,000 bushels (2,041 metric tons)

Number of Elevating Legs: 6

Type of Operation: Direct Load

Shipping Bins: N/A

Bin Capacity: N/A

Export Conveyers: 4

Vessel Loading Spouts: 6

Weighing System:

Scales: 9

Location: 1-South Annex (Hopper Scale); 1-North of Annex (Track Scale)
2-South of Annex (Truck Scales); 2-South End of Annex (Track Scales); 3-Scale Floor (Hoppers) with Readout in Marine Gallery

Type of Scale: 4-Toledo Hoppers Full Electronic
2-Toledo Vehicle Full Electronic
1-Toledo Track Full Electronic
2-Howe-Richardson Track Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 2

Location: Marine Gallery

Type of Sampler: Strand

<p>FACILITY INFORMATION:</p> <p>ADM Agri-Industries Ltd. 5550 Maple wood Drive Windsor, Ontario, N9C 4G9 Canada</p> <p>Peter McManus, Superintendent Telephone: (519) 972-8100 Fax: (519) 969-3741</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>ADM Agri-Industries LTD 5550 Maple Wood Drive Windsor, Ontario, N9C 4G9 Canada</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 4.1 million bushels (111,584 metric tons)
Loading Capacity: 36,744 bushels (1,000 metric tons)
Number of Elevating Legs: 4
Type of Operation: Direct Load
Shipping Bins: 1
Bin Capacity: 150 metric tons
Export Conveyers: 1
Vessel Loading Spouts: 1

Weighing System:

Scales: 2
Location: Workhouse (scale floor)
Type of Scale: Consolidated Control

Mechanical Sampling System:

Diverter-Type Samplers: 4
Location: Head House Leg
Below Shipping Bin
Type of Sampler: International Stanley

FACILITY INFORMATION:	GIPSA FIELD OFFICE:
Bunge of Canada Limited 300 Dalhousie Street Quebec City, Quebec, G1K 7R3 Canada Steve Cantin, Superintendent Telephone: (418) 692-3761 Fax: (418) 692-0182	Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov
FACILITY OPERATOR:	SERVICE PROVIDER:
Bunge of Canada Limited 300 Dalhousie Street Quebec City, Quebec, G1K 7R3 Canada	GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov

TECHNICAL DATA:

Storage Capacity: 8.0 million bushels (217,724 metric tons)
Loading Capacity: 184,000 bushels (5,008 metric tons)
Number of Elevating Legs: 12
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 3
Vessel Loading Spouts: 3

Weighing System:

Scales: 12
Location: Master Control Room (4 Domestic; 4 Receiving; 4 Outbound)
Type of Scale: Compuweigh Series C. D. 2000

Mechanical Sampling System:

Diverter-Type Samplers: 3
Location: Belts in Gallery
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Cargill Elevator Route Maritime Baie Comeau, Quebec, G4Z 2L6 Canada</p> <p>Luc Sarrazin, Operations Manager Yolaine Heppell, Office Manager Jeannot Cyr, Superintendent Telephone: (418) 296-2233 Fax: (418) 296-6454</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Cargill Limitee Route Maritime Baie Comeau, Quebec, G4Z 2L6 Canada</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 17.2 million bushels (468,107 metric tons)
Loading Capacity: 106,000 bushels (2,885 metric tons)
Number of Elevating Legs: 3 (Plus 1 Small Jackleg)
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 2
Vessel Loading Spouts: 13

Weighing System:

Scales: 3
Location: Headhouse (2-shipping & 1-receiving)
Type of Scale: Compudraft Series 2000

Mechanical Sampling System:

Diverter-Type Samplers: 3
Location: Beginning of Loading Belts in Shipping Galleries
Type of Sampler: Denver

<p>FACILITY INFORMATION:</p> <p>Elevator No. 4 Port of Montreal Building Cite du Havre, Wing No. 1 Montreal, Quebec, H3C 3R5 Canada</p> <p>Georges Gagne, Chief of Service of all Grain Elevators Real Belanger, Superintendent Telephone: (514) 283-6948 Fax: (514) 283-1502</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Port of Montreal Corporation Port of Montreal Building Cite du Havre, Wing No. 1 Montreal, Quebec, H3C 3R5 Canada</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 9.9 million bushels (269,434 metric tons)
Loading Capacity: 220,000 bushels (5,987 metric tons)
Number of Elevating Legs: 8
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 3
Vessel Loading Spouts: 3

Weighing System:

Scales: 11
Location: Center of Building (8-shipping & 3-receiving)
Type of Scale: Great Western Scale Company of Canada

Mechanical Sampling System:

Diverter-Type Samplers: 3
Location: Gallery
Type of Sampler: Inter Systems, Inc. (Spout Samplers)

<p>FACILITY INFORMATION:</p> <p>James Richardson International 10 de la Reine Sorel-Tracey, Quebec, J3P 4R2 Canada</p> <p>Fernand Roy, Manager Benoit Soucy, Superintendent Telephone: (450) 743-3893 Fax: (450) 743-7566</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>James Richardson International 1570 Ampere, Room 500 Boucherville, Quebec, J4B 7L4 Canada</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 5.5 million bushels (149,685 metric tons)
Loading Capacity: 4,000 metric tons
Number of Elevating Legs: 8
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 2 at 2250 metric tons/hr
Vessel Loading Spouts: 3 at 1500 metric tons/hr

Weighing System:

Scales: 6
Location: 6th Floor, Workhouse (Shipping)
2nd Floor, Receiving Tower (Receiving)
Type of Scale: AD 5000-Balances Experts

Mechanical Sampling System:

Diverter-Type Samplers: 3
Location: End of Loading Belts
Type of Sampler: Gamet

<p>FACILITY INFORMATION:</p> <p>Les Elevateurs des Trois Rivieres Post Office Box 35 Trois Rivieres, Quebec, G9A 5B3 Canada</p> <p>Gilles Morin, Manager Guy Bureau, Office Manager Telephone: (819) 374-6203 Fax: (819) 374-6392</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Les Elevateurs des Trois Rivieres Post Office Box 35 Trois Rivieres, Quebec, G9A 5B3 Canada</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 4.0 million bushels (108,862 metric tons)
Loading Capacity: 90,000 bushels (2,449 metric tons)
Number of Elevating Legs: 3
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 3 (Only 2 are Used)
Vessel Loading Spouts: 3

Weighing System:

Scales: 5
Location: House No. 1 (3 Outbound)
House No. 2 (2 Inbound)
Type of Scale: 4-Compuweigh 2000
1-Compuweigh 1000

Mechanical Sampling System:

Diverter-Type Samplers: 3
Location: Bottom of Shipping Garners
Type of Sampler: International Stanley

<p>FACILITY INFORMATION:</p> <p>Les Silos Port-Cartier Post Office Box 400 Port Cartier, Quebec, G9B 2G7 Canada</p> <p>Antoine Fortin, Superintendent Telephone: (418) 766-2515 Fax: (418) 766-4136</p>	<p>GIPSA FIELD OFFICE:</p> <p>Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Louis Dreyfus Canada Ltd. 333 11th Avenue, Suite 1400 Calgary, Alberta T2R 1L9 Canada</p>	<p>SERVICE PROVIDER:</p> <p>GIPSA Toledo, Ohio David M. Mundwiler, Manager Telephone: (419) 893-3076 Fax: (419) 893-2861 Email: david.m.mundwiler@usda.gov</p>

TECHNICAL DATA:

Storage Capacity: 10.5 million bushels (285,763 metric tons)
Loading Capacity: 110,200 bushels (2,999 metric tons)
Number of Elevating Legs: 7 (3-Receiving & 4-Shipping)
Type of Operation: Direct Load
Shipping Bins: N/A
Bin Capacity: N/A
Export Conveyers: 2
Vessel Loading Spouts: 6

Weighing System:

Scales: 7
Location: Headhouse (3-Receiving & 4-Shipping)
Type of Scale: Bulktronic

Mechanical Sampling System:

Diverter-Type Samplers: 5
Location: On Belts in Gallery (2-Shipping & 3-Receiving)
Type of Sampler: Gamet

<p>FACILITY INFORMATION:</p> <p>AG Processing Port of Grays Harbor 111 S. Wooding Aberdeen, Washington 98520-9516</p> <p>Carl Parker, Technical Service Manager Telephone: 402-933-8126</p> <p>Seth Taylor, Marine Terminal Manager Telephone: 360-533-9505</p>	<p>GIPSA FEDERAL/STATE OFFICE:</p> <p>Washington Federal/State Office John Flemm, Federal/State Manager Telephone: (360) 753-9072 FAX: (360) 586-5257 Email: john.b.flemm@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Ag Processing 12700 West Dodge Road Omaha, Nebraska 68154-1345</p>	<p>SERVICE PROVIDER:</p> <p>Washington Department of Agriculture Randall R. Deike, Grain Inspection Program Manager Telephone: (360) 753-1484 FAX: (360) 586-5257 Email: rdeike@agr.wa.gov</p>

TECHNICAL DATA:

Storage Capacity: None
Loading Capacity: N/A
Number of Elevating Legs: 1 Incline Belts
Type of Operation: Direct Load
Shipping Bins: None
Bin Capacity: N/A
Export Conveyers: 1
Vessel Loading Spouts: 1

Weighing System:

Scales: 1
Location: Top of Transfer Tower
Type of Scale: Bulkweigher Hoppers

Mechanical Sampling System:

Diverter-Type Samplers: 1
Location: Top of Transfer Tower
Type of Sampler: Gamet

FACILITY INFORMATION: Kalama Export Elevator, LLC Kalama Terminal 2211 North Hendrickson Kalama, Washington 98625 Steve Oaks, Manager Jim Hewitt, Superintendent Telephone: (360) 673-3900 Fax: (360) 673-3910	GIPSA FEDERAL/STATE OFFICE: Washington Federal/State Office John Flemm, Federal/State Manager Telephone: (360) 753-9072 FAX: (360) 586-5257 Email: john.b.flemm@usda.gov
FACILITY OPERATOR: Kalama Export Company, LLC 2211 North Hendrickson Kalama, Washington 98625	SERVICE PROVIDER: Washington Department of Agriculture Randall R. Deike, Grain Inspection Program Manager Telephone: (360) 753-1484 FAX: (360) 586-5257 Email: rdeike@agr.wa.gov

TECHNICAL DATA:

Storage Capacity: 3.5 million bushels (95,254 metric tons)
Loading Capacity: 100,000 bushels (2,722 metric tons)
Number of Elevating Legs: 3 Incline Belts
Type of Operation: Shipping Bin
Shipping Bins: 4
Bin Capacity: Bins 1-3: 52,500 bushels (1,429 metric ton)
Bin 4: 45,000 bushels (1,225 metric ton)
Export Conveyers: 1
Vessel Loading Spouts: 4

Weighing System:

Scales: 4
Location: 3-Head house Main Building (Ship)
1-Head house Between Storage Tanks (Barge)
Type of Scale: CSI Bulkweigher Hoppers

Mechanical Sampling System:

Diverter-Type Samplers: 4
Location: 3-Above Scales (Export)
1-Barge Leg (Barge)
Type of Sampler: Intersystems

<p>FACILITY INFORMATION:</p> <p>Louis Dreyfus Pier 86 Elevator 955 Alaskan Way West Seattle, Washington 98119</p> <p>Jeery Meehl, Superintendent Kevin McNabb, Plant Manager Telephone: (206) 284-4851 Fax: (206) 284-1360</p>	<p>GIPSA FEDERAL/STATE OFFICE:</p> <p>Washington Federal/State Office John Flemm, Federal/State Manager Telephone: (360) 753-9072 FAX: (360) 586-5257 Email: john.b.flemm@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Louis Dreyfus Corporation 10 Westport Road Post Office Box 810 Wilton, Connecticut 06897-0810</p>	<p>SERVICE PROVIDER:</p> <p>Washington Department of Agriculture Randall R. Deike, Grain Inspection Program Manager Telephone: (360) 753-1484 FAX: (360) 586-5257 Email: rdeike@agr.wa.gov</p>

TECHNICAL DATA:

Storage Capacity: 4.2 million Bushels (114,305 metric tons)
Loading Capacity: 100,000 Bushels (2,722 metric tons) per hour
Number of Elevating Legs: 8
Type of Operation: Shipping Bin
Shipping Bins: 8
Bin Capacity: 39,600 Bushels (1,078 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 5

Weighing System:

Scales: 4
Location: Bin Tops (145 ft Level)-Shipping
Headhouse (213 ft Level)-Rail
Type of Scale: Compuweigh Electronic Hoppers

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: Bin Tops for Export Grain
Type of Sampler: Denver

<p>FACILITY INFORMATION:</p> <p>Tacoma Export Marketing Company (TEMCO) 11 Schuster Parkway Tacoma, Washington 98402</p> <p>Terry Johnson, Superintendent Ron McGee, Assistant Superintendent Telephone: (253) 572-3511 Fax: (253) 572-3514</p>	<p>GIPSA FEDERAL/STATE OFFICE:</p> <p>Washington Federal/State Office John Flemm, Federal/State Manager Telephone: (360) 753-9072 FAX: (360) 586-5257 Email: john.b.flemm@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>Tacoma Export Marketing Company (TEMCO) 1667 Snelling Avenue St. Paul, Minnesota 55708</p>	<p>SERVICE PROVIDER:</p> <p>Washington Department of Agriculture Randall R. Deike, Grain Inspection Program Manager Telephone: (360) 753-1484 FAX: (360) 586-5257 Email: rdeike@agr.wa.gov</p>

TECHNICAL DATA:

Storage Capacity: 3.2 million bushels (87,090 metric tons)
Loading Capacity: 80,000 bushels (2,177 metric tons)
Number of Elevating Legs: 6
Type of Operation: Shipping Bin
Shipping Bins: 8
Bin Capacity: 19,800 bushels (539 metric tons)
Export Conveyers: 3
Vessel Loading Spouts: 3

Weighing System:

Scales: 4
Location: 5th Floor (Shipping)
Car Dump (Track Scale)
Type of Scale: 2-Howe-Richardson Hoppers Full Electronic
2-Streeter-Amet Track Full Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: 7th Floor
Type of Sampler: Gamet

<p>FACILITY INFORMATION:</p> <p>United Harvest Elevator (Kalama) Kalama Terminal Todd Road Kalama, Washington 98625</p> <p>John Todd, Manager Russ Carlson, Plant Manager Telephone: (360) 673-1521 Fax: (360) 673-5105</p>	<p>GIPSA FEDERAL/STATE OFFICE:</p> <p>Washington Federal/State Office John Flemm, Federal/State Manager Telephone: (360) 753-9072 FAX: (360) 586-5257 Email: john.b.flemm@usda.gov</p>
<p>FACILITY OPERATOR:</p> <p>United Harvest, LLC 3201 N.W. Lower River Rd. Suite 104 Vancouver, WA 98660</p>	<p>SERVICE PROVIDER:</p> <p>Washington Department of Agriculture Randall R. Deike, Grain Inspection Program Manager Telephone: (360) 753-1484 FAX: (360) 586-5257 Email: rdeike@agr.wa.gov</p>

TECHNICAL DATA:

Storage Capacity: 0.4 million bushels (10,886 metric tons)
Loading Capacity: 60,000 Bushels (1,633 metric tons) per hour
Number of Elevating Legs: 6
Type of Operation: Shipping Bin
Shipping Bins: 6
Bin Capacity: 16,500 Bushels (449 metric tons)
Export Conveyers: 2
Vessel Loading Spouts: 7

Weighing System:

Scales: 6
Location: Head house Across from HSC Building
Trucks @ South Entrance
Type of Scale: 5-Fairbanks Hopper B & R Electronic
1-B & R Vehicle Hopper Electronic

Mechanical Sampling System:

Diverter-Type Samplers: 4
Location: 4-Top of Gallery Incline (Ships)
Type of Sampler: 4-Intersystems (Ships)

FACILITY INFORMATION: United Harvest Elevator (Vancouver) 1927 Elevator Way Vancouver, Washington 98660 John Todd, Plant Manager Telephone: (360) 693-1521 Fax : (360) 694-1986	GIPSA FEDERAL/STATE OFFICE: Washington Federal/State Office John Flemm, Federal/State Manager Telephone: (360) 753-9072 FAX: (360) 586-5257 Email: john.b.flemm@usda.gov
FACILITY OPERATOR: United Harvest, LLC 3201 N.W. Lower River Rd. Suite 104 Vancouver, WA 98660	SERVICE PROVIDER: Washington Department of Agriculture Randall R. Deike, Grain Inspection Program Manager Telephone: (360) 753-1484 FAX: (360) 586-5257 Email: rdeike@agr.wa.gov

TECHNICAL DATA:

Storage Capacity: 4.7 million bushels (127,913 metric tons)
Loading Capacity: 80,000 bushels (2,177 metric tons)
Number of Elevating Legs: 8 Legs in A House
2 Legs in B House
2 Legs in C House
Type of Operation: Shipping Bin
Shipping Bins: 5
Bin Capacity: 4-50,000 bushels (1,361 metric tons)
1-10,000 bushels (272 metric tons)
Export Conveyers: 1
Vessel Loading Spouts: 1

Weighing System:

Scales: 9
Location: 4th Floor A House (#'s 1, 2, 3, 4)
Scale Floor B House (#'s 9, 10)
Garner Floor (# 11)
C House (#'s 12, 13)
Type of Scale: 6-B & R Hopper Electronic
3-Compton

Mechanical Sampling System:

Diverter-Type Samplers: 2
Location: Above Upper Garner, C House (Ships)
Type of Sampler: International Stanley

USDA Nondiscrimination Statement

"The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice or TDD). USDA is an equal opportunity provider and employer."